UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

COMPILATION OF REFERENCES

APPLICABLE TO THE PRELIMARY MINERAL RESOURCE ASSESSMENT OF

THE ELK CITY 1° BY 2° QUADRANGLE,

IDAHO AND MONTANA

by

Karen Lund¹, Henry V. Alminas¹, James D. Bliss², William J. Ehmann³, and M. Dean Kleinkopf¹

Open-File Report 88-282

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards and stratigraphic nomenclature.

Any use of trade names is for descriptive purposes only and does not imply endorsement by the USGS.

¹Denver, Colorado

²Menlo Park, California

³Reston, Virginia

1988

INTRODUCTION

This compilation of references was prepared for the preliminary mineral resource assessment of the Elk City 1° by 2° quadrangle, Idaho-Montana. References cover a broad range of topics including regional geology, wilderness reports, geochemical and geophysical studies and surveys, mineral deposit studies, mineral occurrences, ore deposit models, and others. Some references describe geological, geochemical, and geophysical methods useful in mineral resource assessment. Others describe techniques of quantitative mineral resource assessment. Some references are specific for the quadrangle; others are not. This compilation cites a significant proportion of the literature directly applicable to the quadrangle. However, no claim is made for completeness and some older literature citations are likely missing.

REFERENCES

- Abbott, A.V., 1954, Monazite deposits in calcareous rocks, northern Lemhi County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 99, 24 p.
- Adams, J.W., 1968, Rhabdophane from a rare-earth occurrence, Valley County, Idaho, in Geological Survey Research 1968: U.S. Geological Survey Professional Paper 600-B, p. B48-B51.
- Anderson, A.L., 1943, Cobalt deposits in the Blackbird district, Lemhi County: Idaho Bureau of Mines and Geology Pamphlet 61, 11 p.
- 1947, Cobalt mineralization in the Blackbird District, Lemhi County, Idaho: Ecomonic Geology, v. 42, p. 22-46.
- 1951, Metallogenic epochs of the Idaho batholith: Economic Geology, v. 46, p. 592-607.
- 1953, Gold-copper-lead deposits of the Yellowjacket district, Lemhi County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 94, 41 p.
- 1958, Uranium, thorium, columbium, and rare earth deposits in the Salmon region, Lemhi County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 115, 81 p.
- 1961, Geology and mineral resources of the Lemhi quadrangle, Lemhi County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 124, 104 p.
- Armstrong, F.C., and Weis, P.L., 1955, The Garm-Lamoreaux mine, Lemhi County, Idaho: U.S. Geological Survey Open-File Report, 14 p.
- Armstrong, R.L., 1975, Precambrian (1500 m.y. old) rocks of central Idaho--the Salmon River Arch and its role in Cordilleran sedimentation and tectonics: American Journal of Science, v. 275-A, p. 437-467.
- Armstrong, R.L., Hollister, V.F., and Harakel, J.E., 1978, K-Ar dates for mineralization in the White Cloud-Cannivan porphyry belt in Idaho and Montana: Economic Geology, v. 73, p. 94-108.

- Armstrong, R.L., Taubeneck, W.H., and Hales, P.O., 1977, Rb-Sr and K-Ar geochronometry of Mesozoic granitic rocks and their Sr isotopic composition, Oregon, Washington, and Idaho: Geological Society of America Bulletin, v. 88, p. 397-411.
 - Asher, R.R., 1964, Mineral resources-iron, in Mineral and Water Resources of Idaho: Idaho Bureau of Mines and Geology Special Report No. 1, 335 p.
 - Axelrod, D.I., 1966, Potassium-argon ages of some western Teritary floras:
 American Journal of Science, v. 264, p. 497-506.
 - 1968, Tertiary floras and topographic history of the Snake River basin, Idaho: Geological Society of America Bulletin, v. 79, p. 717-734.
 - Bankey, V.L., Brickey, M.R., and Kleinkopf, M.D., 1980, Principal facts for gravity stations, Blue Joint, Magruder, and Meadow Creek Wilderness areas, Montana-Idaho: U.S. Geological Survey Open-File Report 80-915, 17 p.
 - Beckwith, R.H., 1926, Geological setting of the Idaho batholith: Pan-American Geologist, v. 45, p. 359-376.
 - 1928, The geology and ore deposits of the Buffalo Hump district: New York Academy of Science Annals, v. 30, p. 263-296.
 - Bell, R.N., 1929, Mines in the Idaho granitic batholith: Mining Truth, v. 14, no. 14, p. 7-9.
 - Bennett, E.H., 1977, Reconnaissance geology and geochemistry of the Blackbird Mountain-Panther Creek region, Lemhi County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 167, 108 p.
 - 1980, Granitic rocks of Tertiary age in the Idaho batholith and their relation to mineralization: Economic Geology, v. 75, p. 278-288.
 - Bennett, E.H., and Knowles, C.R., 1985, Tertiary plutons and related rocks in central Idaho, in McIntyre, D.H., ed., Symposium on the geology and mineral deposits of the Challis 1° x 2° quadrangle, Idaho: U.S. Geological Survey Bulletin 1658, p. 81-96.
 - Berg, R.B., 1977, Reconnaissance geology of southernmost Ravalli County, Montana: Montana Bureau of Mines and Geology Memoir 44, 39 p.
 - Berry, G.W., Grim, P.J., and Ikelman, J.A., 1980, Thermal springs list for the United States: National Oceanic and Atmospheric Administration, National Geophysical and Solar-Terrestrial Data Center, Key to Geophysical Records, Documentation No. 12, 59 p.
 - Biddle, J.H., 1986, The geology and mineralization of part of the Bird Creek quadrangle, Lemhi County, Idaho: Moscow, University of Idaho, M.S. thesis.

- Blackwelder, Eliot, 1912, The old erosion surface in Idaho: a criticism: Journal of Geology, v. 20, p. 139-147.
- Bliss, J.D., 1983a, IDAHO--basic data for thermal springs and wells as recorded in GEOTHERM, PART A: U.S. Geological Survey Open-File Report 83-431A, 63 p.
- ______1983b, IDAHO--basic data for thermal springs and wells as recorded in GEOTHERM, PART B: U.S. Geological Survey Open-File Report 83-431B, 499 p. [MICROFICHE ONLY]
- Bliss, J.D., Orris, G.J., and Menzie, W.D., 1987, Changes in grade, volume, and contained gold during the mining life cycles of gold placer deposits: Canadian Institute of Mining and Metallurgy Bulletin, v. 80, no. 903, p. 75-80.
- Bond, J.G., 1963, Geology of the Clearwater embayment: Idaho Bureau of Mines and Geology Pamphlet 128, 83 p.
- 1978, Geologic map of Idaho: Idaho Bureau of Mines and Geology, scale 1:500,000.
- Brickey, M.R., Bankey, V.L., and Kleinkopf, M.D., 1980, Principal facts for gravity stations of part of the Selway-Bitterroot Wilderness, Idaho and Montana: U.S. Geological Survey Open-File Report 80-1241, 14 p.
- Broxton, D.E., and Beyth, M., 1980, Uranium hydrogeochemical and stream sediment reconnaissance data release for the Elk City NTMS Quadrangle, Idaho/Montana, including concentrations of 45 additional elements: U.S. Department of Energy Open-File Report GJBX176(80), 212 p.
- Burchfiel, B.C., and Davis, G.A., 1975, Nature and controls of Cordilleran orogenesis, western United States: extensions of an earlier synthesis: American Journal of Science, v. 275-A, p. 363-396.
- Canney, F.C., Hawkes, H.E., Richmond, G.M., and Vhay, J.S., 1953, A preliminary report of geochemical investigations in the Blackbird district: U.S. Geological Survey Open-File Report, 20 p.
- Capps, S.H., 1940, Gold placers of the Secesh Basin, Idaho County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 52, 43 p.
- Capps, S.R., 1939, Dixie placer district, with notes on the lode mines by Roberts, R.J.: Idaho Bureau of Mines and Geology Pamphlet 48, 35 p.
- Cater, F.W., Pinckney, D.M., Hamilton, W.B., Parker, R.L., Weldin, R.D., Close, T.J., and Zilka, N.T., 1973, Mineral resources of Idaho Primitive Area and vicinity, Idaho, with a section on the Thunder Mountain district by B.F., Leonard, and a section on Aeromagnetic interpretation by W.E. Davis: U.S. Geological Survey Bulletin 1304, 431 p.
- Cater, F.W., Pinckney, D.M., and Stotelmeyer, R.B., 1975, Mineral resources of the Clear Creek--Upper Big Deer Creek study area, contiguous to the Idaho

- Primative Area, Lemhi County, Idaho: U.S. Geological Survey Bulletin 1391-C, 40 p.
- Cater, F.W., and Weldin, R.D., 1984, Idaho Wilderness Area, Idaho, in Marsh, S.P., Kropschot, S.J., and Dickinson, R.G., eds., Wilderness mineral potential, assessment of mineral-resource potential in U.S. Forest Service Lands studied 1964-1984: U.S. Geological Survey Professional Paper 1300, p. 558-561.
- Chauvot, I.P., 1986, Study of the gold deposits at the War Eagle mine, Idaho County, Idaho: Corvallis, Oregon State University, M.S. thesis, 143 p.
- Connor, J.J., and Evans, K.V., 1986, Geologic map of the Leesburg quadrangle, Lemhi County, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-1880, scale 1:62,500.
- Connor, J.J., Evans, K.V., and Johnson, S.Y., 1985, Stratigraphy of the Yellowjacket Formation (Middle Proterozoic), eastern Salmon River Mountains, Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 4, p. 213.
- Cook, E.F., 1956, Tungsten deposits of south-central Idaho: Idaho Bureau of Mines and Geology Pamphlet 108, 40 p.
- Cookro, T.M., 1983, Depositional controls of breccia-fill and skarn tungsten deposits in the Challis quadrangle: U.S. Geological Survey Bulletin 1658-Q, p. 193-201.
- Cookro, T.M., and Petersen, M.A., 1984, Breccia-fill tungsten deposits in central Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 276.
- Cooper, J.R., 1951, Geology of the tungsten, antimony, and gold deposits near Stibnite, Idaho: U.S. Geological Survey Bulletin 969-F, p. 151-197.
- Cox, D.P, and Singer, D.A., eds., 1986, Mineral deposit models: U.S. Geological Survey Bulletin 1693, 379 p.
- Criss, R.E., and Champion, D.E., 1984, Magnetic properties of granitic rocks from the southern half of the Idaho batholith: influences of hydrothermal alteration and implications for aeromagnetic interpretation: Journal of Geophysical Research, v. 89, no. B8, p. 7061-7076.
- Criss, R.E., and Taylor, H.P., 1979, Isotopic evidence for the relationship of large-scale Eocene meteoric-hydrothermal systems to mineral deposits and cauldron subsidence in the Idaho batholith [abs]: American Institute of Mining Metallurgical Engineers, Technical Program, Fall Meeting, October 17-19, p. 24.
- 1983, An $^{18}0/^{16}0$ and D/H study of Tertiary hydrothermal systems in the southern half of the Idaho batholith: Geological Society of America Bulletin, v. 94, p. 640-663.

- Crockett, R.N., Chapman, G.R., and Forrest, M.D., 1987, International strategic minerals inventory summary report—cobalt: U.S. Geological Survey Circular 930-F, 54 p.
- Crowley, F.A., 1960, Columbium-rare-earth deposits, southern Ravalli County, Montana: Montana Bureau of Mines and Geology Bulletin 18, 47 p.
- Davidson, D.M., 1928, Geology and petrology of the Mineral Hill mining district, Lemhi County, Idaho: Minneapolis, University of Minnesota, Ph.D. dissertation, 65 p.
- Dickinson, W.R., 1981, Plate tectonics and the continental margin of California, in Ernst, W.G., ed., The geotectonic development of California, Rubey Volume I: Prentice Hall, Inc., p. 1-28.
- Dickinson, W.R., and Thayer, T.P., 1978, Paleogeographic and paleotectonic implications of Mesozoic stratigraphy and structure in the John Day inlier of central Oregon, in Howell, D.G., and McDougall, K.A., eds., Mesozoic paleogeography of the western United States: Society of Economic Paleontologists and Mineralogists, Pacific Coast Paleogeography Symposium 2, p. 147-161.
- Earhart, R.L., 1986, Descriptive model of Blackbird Co-Cu, in Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 142.
- EG&G Geometrics, Inc., 1980, Aerial gamma ray and magnetic survey, Idaho Project, Elk City quadrangle of Idaho/Montana 1° x 2° sheet, National Uranium Resource Evaluation program, GJBX-10(80): Grand Junction, Colo., U.S. Department of Energy, variable pagination.
- Ehmann, W.J., 1985, Lineaments and their association with metal deposits, Ruby Mountains, Montana: U.S. Geological Survey Open-File Report 85-599.
- Ekren, E.B., 1988, Stratigraphic and structural relations of the Hoodoo Quartzite and Yellowjacket Formation of Middle Proterozoic age from Hoodoo Creek eastward to Mount Taylor, central Idaho: U.S. Geological Survey Bulletin 1570 [in press].
- Evans, K.V., 1981, Geology and geochronology of the eastern Salmon River Mountains, Idaho, and implications for regional Precambrian tectonics: University Park, The Pennsylvania State University, Ph.D. dissertation, 222 p.
- 1986, Middle Proterozoic deformation and plutonism in Idaho, Montana and British Columbia, in Roberts, S.M., ed., Belt Supergroup: A guide to Proterozoic rocks of western Montana and adjacent areas: Montana Bureau of Mines and Geology Special Publication 94, p. 237-244.
- Evans, K.V., and Fischer, L.B., 1986, U-Pb geochronology of two augen gneiss terranes, Idaho--new data and tectonic implications: Canadian Journal of Earth Sciences, v. 23, p. 1919-1927.

- Evans, K.V., and Lund, K., 1981, The Salmon river "Arch"? [abs.]: Geological Society of America Abstracts with Programs, v. 13, p. 448.
- Evans, K.V., and Zartman, R.E., 1981a, U-Th-Pb zircon geochronology of Proterozoic Y granitic intrusion in the Salmon area, east-central Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 4, p. 195.
- ______1981b, U-Th-Pb Zircon ages for Cambrian-Ordovician plutonism in east-central Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 4, p. 195.
- Fabiano, E.B., and Peddie, N.W., 1969, Grid values of total magnetic intensity, IGRF-1965: U.S. Environmental Science Services Administration (ESSA) Technical Report C and GS. 38, 55 p.
- Fisk, H.G., 1969, Painted Rocks Lake area, southern Ravalli County, Montana: Montana Bureau of Mines and Geology Special Publication 47, 1 oversized page.
- Fleck, R.J., and Criss, R.E., 1985, Strontium and oxygen isotopic variations in Mesozoic and Tertiary plutons of central Idaho: Contributions to Mineralogy and Petrology, v. 90, p. 291-308.
- Gammons, C.H., Rose, A.W., Snee, L.W., and Lund, K., 1985, Paragenesis, fluid inclusions, and Ar-dating of the Big Creek mining district, Valley County, central Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 6, p. 588.
- Garmezy, Lawrence, and Scholten, R., 1981, Multiple deformation in a portion of the fold and thrust belt, southern Beaverhead Mountains, east-central Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 4, p. 198.
- Garmezy, Lawrence, and Sutter, J.F., 1983, Mylonitization coincident with uplift in an extensional setting, Bitterroot Range, Montana-Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 15, p. 578.
- Goetz, A.F.H., Rock, D.N., and Rowan, L.C., 1983, Remote sensing for exploration: an overview: Economic Geology, v. 78, p. 573-590.
- Gray, F.A., 1927, Ore deposits of the Mineral Hill district, Lemhi County, Idaho: Minneapolis, University of Minnesota, Ph.D. dissertation.
- Green, W.R., 1972, Delineation of mineral belts of northern and central Idaho: Idaho Bureau of Mines and Geology Circular 22, 8 p.
- Greenwood, W.R., 1967, The augen gneiss of Red River: Moscow, University of Idaho, Ph.D. dissertation, 76 p.

- Greenwood, W.R., and Morrison, D.A., 1973, Reconnaissance geology of the Selway-Bitterroot Wilderness Area: Idaho Bureau of Mines and Geology Pamphlet 154. 30 p.
- Griscom, Andrew, and Oliver, H.W., 1980, Isostatic gravity highs along the west side of the Sierra Nevada and the Peninsular Range batholith, California [abs]?: American Geophysical Union Transactions, v. 61, p. 1126.
- Hahn, G.A., and Hughes, G.J., Jr., 1984, Sedimentation, tectonism, and associated magmatism of the Yellowjacket Formation in the Idaho Cobalt Belt, Lemhi County, Idaho, in Hobbs, S.W., ed., The Belt, Abstracts with Summaries, Belt Symposium II, 1983: Montana Bureau of Mines and Geology Special Publication 90, p. 65-67.
- Hamilton, Warren, 1962, Late Cenozoic structure of west-central Idaho: Geological Society of America Bulletin, v. 73, p. 511-515.
- 1963, Metamorphism in the Riggins region, western Idaho: U.S. Geological Survey Professional Paper 436, 95 p.
- _____1976, Tectonic history of west-central Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 8, no. 3, p. 378.
- 1978, Mesozoic tectonics of the western United States, in Howell, D.G., and McDougall, K.A., eds., Mesozoic paleogeography of the western United States: Society of Economic Paleontologists and Mineralogists, Pacific Section, Pacific Coast Paleogeography Symposium 2, p. 33-70.
- Hamilton, Warren, and Myers, W.B., 1967, The nature of batholiths: U.S. Geological Survey Professional Paper 554-C, p. C1-C30.
- Harrison, J.E., 1972, Precambrian Belt basin of northwestern United States: Its geometry, sedimentation, and copper occurrences: Geological Society of America Bulletin, v. 83, p. 1215-1240.
- 1974, Copper mineralization in miogeosynclinal clastics of the Belt Supergroup, northwestern United States, in Bartholome, P., ed., Gisements stratiformes et provinces cupriferes: Liege, Societe Geologique de Belgique, p. 353-366.
- Harrison, J.E., Griggs, A.B., and Wells, J.D., 1974, Tectonic features of the Precambrian Belt basin and their influence on post-Belt structures: U.S. Geological Survey Professional Paper 866, 15 p.
- Harrison, J.E., Leach, D.L., Kleinkopf, M.D., Long, C.L., Rowan, L.C., and Marvin, R.F., 1986, The Conterminous United States Mineral Resource Assessment Program: Background information to accompany folio of geologic, geochemical, geophysical, remote sensing, and mineral resource map of the Wallace 1° x 2° quadrangle, Montana and Idaho: U.S. Geological Survey Circular 920.

- Heidlick, J.A., 1948, Be Van quartz crystal prospect, Lemhi County, Idaho: U.S. Bureau of Mines Report of Investigations 4209, 11 p.
- Heinrich, E.W., and Levinson, A.A., 1961, Carbonatic niobium-rare earth deposits, Ravalli County, Montana: American Mineralogist, v. 46, p. 1424-1447.
- Hietanen, Anna, 1962, Metasomatic metamorphism in western Clearwater County Idaho: U.S. Geological Survey Professional Paper 344-A, p. 1-116.
- Hillhouse, J.W., Gromme, C.S., and Vallier, T.L., 1982, Paleomagnetism and Mesozoic tectonics of the Seven Devils volcanic arc in northeastern Oregon: Journal of Geophysical Research, v. 87, p. 3777-3794.
- Hobbs, S.W., 1964, Mineral resources-Tungsten, in Minerals and water resources of Idaho: Idaho Bureau of Mines and Geology Special Report No. 1, p. 223-233.
- Hoover, A.L., 1986, Transect across the Salmon River suture, South Fork of the Clearwater River, western Idaho: rare-earth element, structural, and metamorphic study: Corvallis, Oregon State University, M.S. thesis, 138 p.
- Hoover, A.L., Lund, K., and Snee, L.W., 1985, Tectonic model for the island arc-continent suture zone, west-central Idaho: structural and geochemical constraints [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 7, p. 613.
- Hoover, D.B., Long, C.L., Kaufman, Harold, and Hassemer, J.H., 1982, Preliminary audio-magnetotelluric results for parts of the Butte and Dillon 1° × 2° quadrangles, Montana and Idaho: U.S. Geological Survey Open-File Report 82-711, four 35 mm color slides with maps at 1:250,000, 1 p.
- Hughes, G.B., 1983, The basinal setting of the Blackbird district cobalt deposits, Lemhi County, Idaho: Denver Regional Exploration Geologists Society Symposium, p. 21-28.
- Hyndman, D.W., 1979, Major tectonic elements and tectonic problems along the line of section from northeastern Oregon to west-central Montana: Geological Society of America Map and Chart Series, MC-28C.
- 1980, Bitterroot Dome-Sapphire tectonic block, an example of a plutonic-core gneiss-dome complex with its detached suprastructure, in Crittenden, M.D., Coney, P.J., and Davis, G.H., eds., Cordilleran metamorphic core complexes: Geological Society of America Memoir 153, p. 427-443.
- 1983, The Idaho batholith and associated plutons, Idaho and western Montana: Geological Society of America Memoir 159, p. 213-240.
- Hyndman, D.W., and Talbot, J.L., 1976, The Idaho batholith and related subduction complex: Geological Society of America, Cordilleran Section, Field Guide 4, 15 p.

- Jordan, D.C., 1984, The geology and geochemistry of the south-central portion of Ulysses Mountain quadrangle, Lemhi County, Idaho: Moscow, University of Idaho, M.S. thesis.
- Kaiser, E.P., 1956, Preliminary report on the geology and deposits of monzonite, thorite, and niobium-bearing rutile of the Mineral Hill district, Lemhi County, Idaho: U.S. Geological Survey Open-File Report 56-69, 41 p.
- Kelley, W.N., Jr., 1967, Geology and origin of the Woods Creek iron deposit, Ravalli County, Montana: University Park, The Pennsylvania State University, M.S. thesis, 54 p.
- Kilsgaard, T.H., and Tuchek, E.T., 1984, Salmon River Breaks Primitive Area and vicinity, Idaho, in Marsh, S.P., Kropschot, S.J., and Dickinson, R.G., eds., Wilderness mineral potential, assessment of mineral-resource potential in U.S. Forest Service Lands studied 1964-1984: U.S. Geological Survey Professional Paper 1300, p. 566-569.
- King, R.U., 1964, Mineral resources molybdenum, in Mineral and water resources of Idaho: Idaho Bureau of Mines and Geology Special Report No. 1, p. 133-138.
- Kirkpatrick, G.E., 1974, Geology and ore deposits of the Big Creek area, Valley and Idaho counties, Idaho: Moscow, University of Idaho, M.S. thesis, 92 p.
- Kleinkopf, M.D., 1984, Gravity and magnetic anomalies of the Belt basin, United States and Canada [abs.], in Hobbs, S.W., ed., The Belt, Abstracts with Programs: Montana Bureau of Mines and Geology, Special Publication 90, p. 85-87.
- Kleinkopf, M.D., Bankey, V.L., and Brickey, M.R., 1984, Geophysical maps of the Blue Joint Wilderness Study Area, Ravalli County, Montana, and the Blue Joint Roadless area, Lemhi County, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-1557-D, scale 1:50,000.
- Knipling, E.B., 1969, Leaf reflectance and image formation on color infrared film, in Johnson, P.L., ed., Remote sensing in ecology: Athens, University of Georgia Press, p. 17-29.
- Knowles, Charles, 1975, Reconnaissance geochemistry of the Bighorn Crags: Idaho Bureau of Mines and Geology Information Circular 26, 24 p.
- Knowles, C.R., and Bennett, E.H., 1978, Reconnaissance geology and geochemistry of the Gospel Peak-Buffalo Hump Wilderness Area, Idaho County, Idaho: Idaho Bureau of Mines and Geology Open-File Report 78-5, 24 p.
- Koshmann, A.H., and Bergendahl, M.H., 1968, Principal gold-producing districts of the United States: U.S. Geological Survey Proessional Paper 610, 283 p.

- Kuhns, R.R., and Cox, B., 1974, Nezperce I: unpublished geologic survey for U.S. Forest Service, Nezperce National Forest, Grangeville, Idaho.
- Larsen, E.S., Jr., and Schmidt, R.G., 1958, A reconnaissance of the Idaho batholith and comparison with the southern California batholith: U.S. Geological Survey Bulletin 1070-A. p. 1-33.
- Leonard, B.F., 1962, Old metavolcanic rocks of the Big Creek area, central Idaho, in Short papers in geology, hydrology, and topography: U.S. Geological Survey Professional Paper 450-B, p. B11-B15.
- 1963, Syenite complex older than the Idaho batholith, Big Creek quadrangle, central Idaho, in Short papers in geology, hydrology, and topography: U.S. Geological Survey Professional Paper 450-E, p. E93-E97.
- 1965a, Mercury-bearing antimony deposit between Big Creek and Yellow Pine, central Idaho: U.S. Geological Survey Professional Paper 525-B, p. B23-B28.
- ______1965b, Tertiary dike swarm on Little Pistol Creek, Yellow Pine quadrangle, central Idaho [abs.], in Abstracts for 1964: Geological Society of America Special Paper 82, p. 336-337.
- Leonard, B.F., Mead, C.W., and Conklin, Nancy, 1968, Silver-rich disseminated sulfides from a tungsten-bearing quartz lode, Big Creek district, central Idaho: U.S. Geological Survey Professional Paper 594-C, p. Cl-C24.
- Leonard, B.F., and Stern, T.W., 1966, Evidence of Precambrian deformation and intrusion preserved within the Idaho batholith [abs.], in Abstracts for 1965: Geological Society of America Special Paper 87, p. 293-294.
- Lindgren, Waldemar, 1904, A geological reconnaissance across the Bitterroot Range and Clearwater Mountains in Montana and Idaho: U.S. Geological Survey Professional Paper 27, 123 p.
- Livingston, D.C., 1919, Tungsten, cinnabar, manganese, molybdenum, and tin deposits of Idaho: University of Idaho Bulletin 2, v. 14, 72 p.
- Livingston, D.C., and Stewart, C.A., 1914, The geology and ore deposits of the Dixie district, Idaho: University of Idaho Bulletin 9, no. 2, 11 p.
- Long, C.L., 1983, Audio-magnetotelluric studies in the Wallace $1^{\rm O}$ x $2^{\rm O}$ quadrangle, Montana and Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-1354-B, 1 sheet, scale 1:250,000.
- Long, C.L., and Hoover, D.B., 1983, Reconnaissance audio-magnetotelluric and telluric traverse methods applied to Belt Supergroup, Montana-Idaho: in Hobbs, S.W., ed., The Belt, Abstracts with Summaries, Belt Symposium II, 1983: Montana Bureau of Mines and Geology Special Publication 90.
- Lopez, D.A., 1981, Stratigraphy of the Yellowjacket Formation of east-central Idaho: U.S. Geological Survey Open-File Report 81-1088, 206 p.

- 1982, Reconnaissance geologic map of the Ulysses Mountain quadrangle, Lemhi County, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-1445, scale 1:48,000.
- Lorain, S.H., 1938, Gold mining and milling in Idaho County: U.S. Bureau of Mines Information Circular 7039, 90 p.
- Lorain, S.H., and Metzger, O.H., 1938, Reconnaissance of placer mining districts in Lemhi County: U.S. Bureau of Mines Information Circular 7023, 93 p.
- Lund, K., 1980, Geology of the Whistling Pig pluton, Selway Bitterroot Wilderness, Idaho: Boulder, University of Colorado, M.S. thesis, 115 p.
- 1984, Tectonic history of a continent-island arc boundary: west-central Idaho: University Park, The Pennsylvania State University, Ph.D dissertation, 207 p.
- Lund, K., and Benham, J.R., 1983, Mineral resources potential map of the Blue Joint Wilderness Study Area, Ravalli County, Montana, and the Blue Joint Roadless Area, Lemhi County, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-1557-A, scale 1:50,000.
- 1984, Blue Joint Wilderness Study Area, Montana and Blue Joint Roadless Area, Idaho, in Marsh, S.P., Kropschot, S.J., and Dickinson, R.G., eds., Wilderness mineral potential, assessment of mineral-resource potential in U.S. Forest Service Lands studied 1964-1984: U.S. Geological Survey Professional Paper 1300, p. 673-675.
- Lund, K., and Esparza, L.E., 1984, Special mining management zone--Clear Creek, Idaho, in Marsh, S.P., Kropschot, S.J., and Dickinson, R.G., eds., Wilderness mineral potential, assessment of mineral-resource potential in U.S. Forest Service Lands studied 1964-1984: U.S. Geological Survey Professional Paper 1300, p. 583-586.
- 1988, Mineral resource potential of the Gospel-Hump Wilderness, Idaho County, Idaho: U.S. Geological Survey Bulletin 1812 [in press].
- Lund, K., Evans, K.V., and Esparza, L.E., 1983a, Mineral resource potential map of the Special Mining Management Zone--Clear Creek, Lemhi County, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-1576-A, 9 p., scale 1:50,000.
- Lund, K., Rehn, W.R., and Holloway, C.D., 1983b, Geology of the Blue Joint wilderness study area, Ravalli County, Montana and the Blue Joint roadless area, Lemhi County, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-1557-B, map with text, scale 1:50,000.
- Lund, K., Scholten, R., and McCollough, F.M., 1983c, Consequences of interfingered lithologies in the Seven Devils island arc [abs.]: Geological Society of America Abstracts with Programs, v. 15, p. 284.

- Lund, K., and Snee, L.W., 1988, Metamorphic and structural development of the continent-island arc juncture in west-central Idaho, in Ernst, W.G., ed., Metamorphism and Crustal Evolution, Western conterminous United States, Rubey Volume VII, Englewood Cliffs, New Jersey, Prentice-Hall, Inc., p. 296-331.
- Lund, K., Snee, L.W., and Evans, K.V., 1986, Age and genesis of precious metals deposits, Buffalo Hump district, central Idaho: implications for depth of emplacement of quartz veins: Economic Geology, v. 81, p. 990-996.
- Mabey, D.R., and Webring, M.W., 1985, Regional geophysical studies in the Challis quadrangle, in McIntyre, D.H., ed., Symposium on the geology and mineral deposits of the Challis quadrangle, Idaho: U.S. Geological Survey Bulletin 1658-E, p. 69-79.
- Mabey, D.R., Zietz, Isadore, Eaton, G.P., and Kleinkopf, M.D., 1978, Regional magnetic patterns in part of the Cordillera in the western United States, in Smith, R.B., ed., Cenozoic tectonics and regional geophysics of the western Cordillera: Geological Society of America Memoir 152, p. 93-106.
- Maley, T.S., 1974, Structure and petrology of the lower Panther Creek area, Lemhi County, Idaho: Moscow, Idaho University, Ph.D. dissertation, 130 p.
- Marsh, S.P., Kropschot, S.J., and Dickinson, R.G., 1984, Wilderness mineral potential, in Marsh, S.P., Kropschot, S.J., and Dickinson, R.G., eds., Wilderness mineral potential, assessment of mineral-resource potential in U.S. Forest Service Lands studied 1964-1984: U.S. Geological Survey Professional Paper 1300, v. 2, p. 553-1183.
- McDowell, F.W., and Kulp, J.L., 1969, Potassium-argon dating of the Idaho batholith: Geological Society of America Bulletin, v. 80, p. 2379-2382.
- Mitchell, V.E., and Bennett, E.H., 1979, Geologic map of the Elk City quadrangle, Idaho: Idaho Bureau of Mines and Geology, Geologic Map Series, scale 1:250,000.
- Mitchell, V.E., Strowd, W.B., Hustedde, G.S., and Bennett, E.H., 1981, Mines and prospects of the Elk City quadrangle, Idaho: Idaho Bureau of Mines and Geology, Mines and Prospects Map Series, scale 1:250,000, 72 p.
- Modreski, P.J., 1985, Stratabound cobalt-copper deposits in the Middle Proterozoic Yellowjacket Formation in and near the Challis quadrangle: U.S. Geological Survey Bulletin 1658-R, p. 203-221.
- Mosier, D.L., 1986, Grade and tonnage model of sediment-hosted Cu, in Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 206-208.
- Myers, P.E., 1968, Geology of the Harpster quadrangle and vicinity, Idaho: Ann Arbor, University of Michigan, Ph.D. dissertation, 267 p.

- 1982, Geology of the Harpster area, Idaho County, Idaho: Idaho Bureau of Mines and Geology Bulletin 25, 46 p.
- Nash, J.T., and Hahn, G.A., 1986, Volcanogenic character of sediment-hosted Co-Cu deposits in the Blackbird mining district, Lemhi County, Idaho--an interim report: U.S. Geological Survey Open-File Report 86-430, 29 p.
- Onasch, C.M., 1977, Structural evolution of the western margin of the Idaho batholith in the Riggins, Idaho area: University Park, The Pennsylvania State University, Ph.D. dissertation, 196 p.
- 1987, Temporal and spatial relations between folding, intrusion, metamorphism, and thrust faulting in the Riggins area, west-central Idaho, in Vallier, T.L., and Brooks, H.C., eds., Geology of the Blue Mountains Region of Oregon, Idaho, and Washington: the Idaho batholith and its border zone: U.S. Geological Survey Professional Paper 1436, p. 139-150.
- Otto, B.R., 1978, Structure and petrology of the Sheepeater Peak area, Idaho Primitive Area, Idaho: Missoula, University of Montana, M.S. thesis, 68 p.
- Piccoli, P.M., and Hyndman, D.W., 1985, Magnetite/ilmenite boundary in the western Atlanta lobe of the Idaho batholith: Northwest Geology, v. 14, p. 1-5.
- Pitkin, J.A., 1968, Airborne measurements of terrestrial radioactivity as an aid to geologic mapping: U.S. Geological Survey Professional Paper 516-F, 29 p.
- Pitkin, J.A., and Duval, J.S., 1980, Design parameters for aerial gamma-ray surveys: Geophysics, v. 45, p. 1427-1439.
- Purdue, G.L., 1975, Geology and ore deposits of the Blackbird district, Lemhi County, Idaho: Albuquerque, University of New Mexico, M.S. thesis, 49 p.
- Purdy, T.L., Milton, N.M., and Eiswerth, B.A., 1986, Spectral reflectance of vegetation in the Idaho cobalt district—potential for exploration using remote sensing: U.S. Geological Survey Open-File Report 86-587, 5 p.
- Reed, G.C., and Herdlick, J.A., 1947, Blackbird cobalt deposits, Lemhi County, Idaho: U.S. Bureau of Mines Report of Investigations 4012, 37 p.
- Reed, J.C., 1934, Gold-bearing gravel of the Nezperce National Forest, Idaho County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 40, 37 p.
- 1937, Geology and ore deposits of the Warren mining district, Idaho county, Idaho: Idaho Bureau of Mines and Geology Pamphlet 45, 65 p.
- 1939, Geology and ore deposits of the Florence mining district, Idaho County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 46, 44 p.
- Rehn, W.R., and Lund, K., 1981, Eocene extensional plutonism in the Idaho

- batholith region [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 7, p. 536.
- Reid, R.R., 1959, Reconnaissance geology of the Elk City region, Idaho: Idaho Bureau of Mines and Geology Pamphlet 121, 74 p.
- Reid, R.R., Greenwood, W.R., and Morrison, D.A., 1970, Precambrian metamorphism of the Belt Supergroup in Idaho: Geological Society of America Bulletin, v. 81, p. 915-917.
- Reid, R.R., Morrison, D.A., and Greenwood, W.R., 1973, The Clearwater orogenic zone: a relict of Proterozoic orogeny in central and northern Idaho: Idaho Bureau of Mines and Geology, Belt Symposium 1973, v. 1, p. 10-56.
- Rich, J.L., 1918, An old erosion surface in Idaho: is it Eocene?: Economic Geology, v. 13, p. 120-136.
- Roberts, R.J., 1938, The petrography and ore deposits of the Dixie district, Idaho: Seattle, University of Washington, M.S. thesis, 61 p.
- Roberts, W.A., 1953, Metamorphic differentiates in the Blackbird mining district, Lemhi County, Idaho: Economic Geology, v. 48, p. 447-456.
- Ross, C.P., 1927, Ore deposits in Tertiary lava in the Salmon River Mountains, Idaho: Idaho Bureau of Mines and Geology Pamphlet 25, 21 p.
- _____1928, Mesozoic and Tertiary granitic rocks in Idaho: Journal of Geology, v. 36, p. 673-693.
- 1930, Geology and ore deposits of the Seafoam, Alder Creek, Little Smoky, and Willow Creek mining districts, Custer and Camas Counties, Idaho: Idaho Bureau of Mines and Geology Pamphlet 33, 26 p.
- 1931, A classification of the lode deposits of south-central Idaho: Economic Geology, v. 26, p. 169-185.
- 1933a, The Thunder Mountain mining district, Valley County, Idaho: Economic Geology, v. 28, p. 587-601.
- 1933b, The Thunder Mountain mining district, Valley County, Idaho:
 American Institute of Mining and Metallurgical Engineers Contribution 23, 16 p.
- _____1934a, Correlation and interpretation of Paleozoic stratigraphy in south-central Idaho: Geological Society of America Bulletin, v. 45, p. 937-1000.
- 1934b, Geology and ore deposits of the Casto quadrangle, Idaho: U.S. Geological Survey Bulletin 854, 135 p.
- 1941, The metal and coal mining districts of Idaho, with notes on the nonmetallic mineral resources of the state: Idaho Bureau of Mines and Geology Pamphlet No. 57, pt. 1 and 2, 270 p.

- 1962, Paleozoic seas of central Idaho: Geological Society of America Bulletin, v. 73, p. 769-794.
- 1963, Geology along U.S. Highway 93 in Idaho: Idaho Bureau of Mines and Geology Pamphlet 130, 98 p.
- Ross, C.P., Andrews, D.A., and Witkind, I.J., 1955, Geologic map of Montana: U.S. Geological Survey.
- Rowan, L.C., Anton-Pacheco, C., Brickey, D.W., Kingston, M.J., Payas, Alba, Vewrgo, Norma, and Crowley, J.K., 1987, Digital classification of contact metamorphic rocks in Extremadera, Spain, using Landsat thematic mapper data: Geophysics, v. 52, p. 885-897.
- Rowan, L.C., Goetz, A.G.H., and Ashley, R.P., 1977, Discrimination of hydrothermally altered and unaltered rocks invisible and near-infrared multispectral images: Geophysics, v. 42, p. 522-535.
- Rowan, L.C., and Purdy, T.L., 1984, Map of the Walker Lake 1° x 2° quadrangle, California-Nevada showing the regional distribution of hydrothermally altered rocks: U.S. Geological Survey Miscellaneous Field Studies Map MF-1382-Q, 19 p.
- Rowan, L.C., Wetlaufter, P.H., Goetz, A.F.H., Billingsley, F.C., and Stewart, J.H., 1974, Discrimination of rock types and detection of hydrothermally altered areas in south-central Nevada by use of computer-enhanced ERTS images: U.S. Geological Survey Professional Paper 883, 35 p.
- Ruppel, E.T., 1975, Precambrian Y sedimentary rocks in east-central Idaho: U.S. Geological Survey Professional Paper 889-A, 23 p.
- Ruppel, E.T., and Lopez, D.A., 1981, Geologic map of the Gilmore quadrangle, Lemhi and Custer Counties, Idaho: U.S. Geological Survey Geologic Quadrangle Map GQ-1543, scale 1:62,500.
- Sahinen, V.M., 1957, Mines and mineral deposits, Missoula and Ravalli Counties, Montana: Montana Bureau of Mines and Geology Bulletin 8, 61 p.
- Savage, C.N., 1970, Evaluation of minerals and mineral potential of the Salmon River drainage basin in Idaho: Idaho Bureau of Mines and Geology Pamphlet 147, 64 p.
- Sawatsky, D.L., and Raines, G.L., 1981, Geological uses of linear features or maps derived from small-scale images: Durango, Colo., Proceedings of the Third International Conference on Basement Tectonics, May 15-19, 1978, Basement Tectonics Committee, Inc., p. 91-100.
- Schrader, F.C., and Ross, C.P., 1926, Antimony and quicksilver deposits in the Yellow Pine district, Idaho: U.S. Geological Survey Bulletin 780, p. 137-164.

- Shenon, P.J., and Reed, J.C., 1934, Geology of the Elk City mining district, Idaho, with special references to the structural setting of the veins: American Institute of Mining and Metallurgy Transactions, v. 115, no. 2, p. 164-186.
- _____1954, Geology and ore deposits of the Elk City, Orogrande, Buffalo Hump, and Tenmile districts, Idaho County, Idaho: U.S. Geological Survey Circular 9, 89 p.
- Shenon, P.J., and Ross, C.P., 1936, Geology and ore deposits near Edwardsburg and Thunder Mountain, Idaho: Idaho Bureau of Mines and Geology Pamphlet 44, 45 p.
- Shockey, P.N., 1957, Reconnaissance geology of the Leesburg quadrangle, Lemhi County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 113, 42 p.
- Silberling, N.J., and Jones, D.L., 1984, Lithotectonic terrane maps of the North American Cordillera: U.S. Geological Survey Open-File Report 84-523, part C, 43 p.
- Skipp, Betty, 1987, Basement thrust sheets in the Clearwater orogenic zone, central Idaho and western Montana: Geology, v. 15, p. 220-224.
- Snee, L.W., 1982, Emplacement and cooling of the Pioneer batholith, southwestern Montana: Columbus, Ohio State University, Ph.D. dissertation, 320 p.
- Snee, L.W., Lund, K., and Davidson, Gary, 1987, Ages of metamorphism, deformation, and cooling of juxtaposed oceanic and continental rocks near Orofino, Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 19, no. 5, p. 335.
- Snee, L.W., Lund, K., and Evans, K.V., 1984, Age and depth of formation of gold deposits using 40 Ar/39 Ar age-spectrum techniques: geologic implications in central Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 6, p. 662.
- 1985a, 40Ar/39Ar age-spectrum data for the Buffalo Hump mining district, Clearwater Mountains, central Idaho: U.S. Geological Survey Open-File Report 85-0102, 8 p.
- Snee, L.W., Lund, K., and Gammons, C.H., 1985b, Mineralization history of the central Idaho batholith: Importance of fracture-controlled Cretaceous activity: Geological Society of America Abstracts with Programs, v. 17, p. 265-266.
- Snee, L.W., Sutter, J.F., Lund, K., Balcer, D.E., and Evans, K.V., 1988, An $40_{\rm Ar}/^{39}{\rm Ar}$ chronicle of the tectonic development of the Salmon River suture zone, western Idaho, in Vallier, T.L., and Brooks, H.C., eds., The Blue Mountains region of Oregon, Idaho, and Washington: U.S. Geological Survey Professional Paper 1438 [in press].

- Sobel, L.S., 1981, A stratigraphic model for Precambrian Y turbidites of central Idaho [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 7, p. 557.
- Spence, J.G., 1983, Geology of the Mineral Hill interlayered amphibolite-augen gneiss complex: Moscow, University of Idaho, M.S. thesis.
- Stoll, W.C., 1950, Mica and beryl pegmatites in Idaho and Montana: U.S. Geological Survey Professional Paper 229, 64 p.
- Sturme, F.H., 1954, General geology of some replacement monazite deposits in Lemhi County, Idaho: Moscow, University of Idaho, M.S. thesis, 64 p.
- Swanson, D.A., Wright, T.L., Hooper, P.R., and Bentley, R.D., 1979, Revisions in stratigraphic nomenclature of the Columbia River Basalt Group: U.S. Geological Survey Bulletin 1457-G, 59 p.
- Taylor, H.P., and Magaritz, M., 1976, An oxygen and hydrogen isotope study of the Idaho batholith [abs.]: American Geophysical Union Transactions, v. 57, p. 350.
- Thomson, F.A., and Ballard, S.M., 1924, Geology and gold resources of north central Idaho: Idaho Bureau of Mines and Geology Bulletin 7, 127 p.
- Toth, M.I., 1983, Reconnaissance geologic map of the Selway-Bitterroot Wilderness, Idaho County, Idaho, and Missoula and Ravalli Counties, Montana: U.S. Geologic Survey Miscellaneous Field Studies Map MF-1495-B, scale 1:125,000.
- 1987, Petrology and origin of the Bitterroot lobe of the Idaho batholith, in Vallier, T.L., and Brooks, H.C., eds., Geology of the Blue Mountains Region of Oregon, Idaho, and Washington: the Idaho batholith and its border zone: U.S. Geological Survey Professional Paper 1436, p. 9-36.
- Trites, A.F., Jr., and Tooker, E.W., 1953, Uranium and thorium deposits in east central Idaho, southwestern Montana: U.S. Geological Survey Bulletin 988-H, p. 157-209.
- Umpleby, J.B., 1912, An old erosion surface in Idaho: Its age and value as a datum plane: Journal of Geology, v. 20, p. 139-147.
- 1913a, The old erosion surface in Idaho, a reply: Journal of Geology, v. 21, p. 224-231.
- 1913b, Geology and ore deposits of Lemhi County, Idaho: U.S. Geological Survey Bulletin 528, 182 p.
- Umpleby, J.B., and Livingston, D.C., 1920, A reconnaissance in south-central Idaho embracing the Thunder Mountain, Big Creek, Stanley Basin, Sheep Mountain and Seafoam districts: Idaho Bureau of Mines and Geology Bulletin 3, 23 p.

- U.S. Bureau of Mines, 1943, Blackbird district, Lemhi, Idaho--supplement to War Minerals Report 78: War Minerals Report 131--Copper, Cobalt, 20 p.
- U.S. Department of Energy, 1980, Aerial gamma ray and magnetic survey, Idaho project, Elk city quadrangle of Idaho/Montana, final report: Grand Junction, Colo., U.S. Department of Energy, v. 11 (prepared by Bendix, Contract DE-AC13-76-GJ01664, subcontract 79-323-S).
- U.S. Geological Survey, 1972a, Aeromagnetic map of parts of Hamilton and Elk City 1° x 2° quadrangles, Idaho-Montana: U.S. Geological Survey Geophysical Investigations Map GP-831, 1 sheet, scale 1:250,000
- 1972b, Aeromagnetic map of part of the Elk City 1° x 2° quadrangle,
 Idaho-Montana: U.S. Geological Survey Geophysical Investigations Map GP-841, 1 sheet, scale 1:250,000.
- 1975, Aeromagnetic map of southwestern Montana and east-central Idaho: U.S. Geological Survey Open-File Report 75-655, scale 1:250,000.
- 1978, Aeromagnetic map of Idaho: Geophysical Investigations Map GP-919, scale 1:500,000.
- 1983, Aeromagnetic map of the Gospel-Hump area, Idaho: U.S. Geological Survey Open-File Report 83-837, scale 1:62,500.
- U.S. Geological Survey, U.S. Bureau of Mines and Geology, and Idaho Department of Reclamation, 1964, Mineral and water resources of Idaho: Committee on Interior and Insular affairs, United States Senate, 88th Congress, 2d session, Idaho Bureau of Mines and Geology Special Report No. 1, 335 p.
- Vallier, T.L., 1977, The Permian and Triassic Seven Devils Group, western Idaho and northeastern Oregon: U.S. Geological Survey Bulletin 1437, 58 p.
- VanTrump, George, and Alminas, H.V., 1978, R.E.M. (relative element magnitude) program explanation and computer program listing: U.S. Geological Survey Open-File Report 78-1014, 18 p.
- Vhay, J.S., 1948a, A preliminary report on the cobalt-copper deposits of the Blackbird district, Lemhi County, Idaho: U.S. Geological Survey Preliminary Report 3-219, 26 p.
- 1948b, Cobalt-copper deposits in the Blackbird District, Lemhi County County, Idaho: U.S. Geological Survey Strategic Mineral Investigations Preliminary Report 3-219, 26 p.
- 1953, Use of geology in the development of the Blackbird cobalt-copper deposit, Idaho: Economic Geology, v. 48, p. 332-333.
- Ward, D.L., 1978, Construction of calibration pads facility, Walker Field, Grand Junction, Colorado: U.S. Department of Energy Open-File Report GJBX-37 (78), 57 p.

- Weis, P.L., Armstrong, F.C., and Rosemblum, Samuel, 1958, Reconnaissance for radioactive minerals in Washington, Idaho, and western Montana 1952-1955: U.S. Geological Survey Bulletin 1074-B, 48 p.
- Weis, P.L., Schmitt, L.J., Jr., and Tuchek, E.T., 1972, Mineral resources of the Salmon River Breaks Primitive Area, Idaho, with a section on aeromagnetic survey, by W.E. Davis: U.S. Geological Survey Bulletin 1353-C, 91 p.
- White, D.E., 1940, Antimony deposits of a part of the Yellow Pine district, Valley County, Idaho, a preliminary report: U.S. Geological Survey Bulletin 922-I, p. 247-279.
- Wiswall, C.G., and Hyndman, D.W., 1987, Emplacement of the main plutons of the Bitterroot lobe of the Idaho batholith, in Vallier, T.L., and Brooks, H.C., eds., Geology of the Blue Mountains Region of Oregon, Idaho, and Washington: the Idaho batholith and its border zone: U.S. Geological Survey Professional Paper 1436, p. 59-72.
- Wiswall, C.G., 1979, Structure and petrology below the Bitterroot lobe of the Idaho batholith: Northwest Geology, v. 8, p. 18-28.
- Yeates, A.W., Wyatt, B.W., and Tucker, D.H., 1982, Application of gamma-ray spectrometry to prospecting for tin and tungsten granites, particularly within the Lachlan Fold Belt, New South Wales: Economic Geology, v. 77, p. 1725-1738.
- Youngs, S.W., 1981, Geology and geochemistry of the Running Springs geothermal area, southern Bitterroot Lobe, Idaho Batholith: Pullman, Washington State University, M.S. thesis, 125 p.
- Zen, Ean, 1985, Implications of magmatic epidote-bearing plutons on crustal evolution in the accreted terranes of northwestern North America: Geology, v. 13, p. 266-269.
- Zietz, Isidore, Gilbert, F.P., and Kirby, J.R., 1978, Aeromagnetic map of Idaha—Color coded intensities: U.S. Geological Survey Geophysical Investigations Map GP-920, scale 1:100,000.
- Zietz, Isilore, Gilbert, F.P., and Snyder, S.L., 1980, Aeromagnetic map of Montana: U.S. Geological Survey Geophysical Investigations Map GP-934, scale1:1,000,000.
- Zietz, Ismore, Hearn, B.C., Jr., Higgins, M.W., Robinson, G.D., and Swanson, D.A., 1971, Interpretation of an aeromagnetic strip across the northwestern United States: Geological Society of America Bulletin, v. 82. 3, 3347-3372.